



FALL CREEK REGIONAL WASTE DISTRICT

Box 44, Pendleton, Indiana 46064

Lawrence & Reckel, Inc.
2727 South 875 East
Zionsville, IN 46077

add order on file
7-16-77.00

Nº 001843

APPLICATION FOR SEWER PERMIT

Permit No. _____ Date 5/1/92

Permit Void 90 days from Date of Issuance

Owner Name

Giger Jails (Agoston) Owner 70 Village Drive

Property Address

Lot # 1

P.O. Box _____

Town

Pendleton

, IN

Zip Code

46064

Phone _____

Water Meter _____

"

\$ 3,200.00 Tap on Fee Paid

\$ _____ Inspection fee paid

still due (\$2500 prior to inspection by District)

Application is hereby made for connection to the Fall Creek Regional Waste District Sewer System for the above listed property - Permit Type: Residential _____, Commercial X, Industrial _____, or Governmental/Institutional _____. User Information _____.

All workmanship and materials shall conform to the standards of the District Ordinance as described in Ordinance 84-2 and 84-3 as amended. Acceptance and approval must be made by the District inspector or his duly authorized representative before backfilling and final connection is made to the main sewer lines. Any violation of applicable regulations will cause all lines and appurtenances in violation to be removed and replaced at the owners expense.

The Fall Creek Regional Waste District is responsible for the inspection, approval of materials, and installation techniques only. All costs for materials and installation and any liabilities resulting from same is the sole responsibility of the property owner.

I have read and fully understand the above provisions and agree to comply by said provisions.

X William W. Williams

- Lawrence & Reckel, Inc.

APPLICANT(S) SIGNATURE

INSPECTOR Dan

Date inspected 6/16/92 Approved ✓ Rejected _____

Reason for rejection _____

Date reinspected _____ Approved _____ Rejected _____

Notes:

Size Pipe 6"

Type Pipe PVC

Basement Yes (NO)

Sump Pump Yes (NO)

Downspout to Ground Yes _____ No _____

Septic Tank Pumped & filled Yes _____ No _____

Contractor _____

Special Conditions _____

