

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-16-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 1

☐ Spears

Moody ☐

Street Address: 1014 E Tri County Blvd

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

This is calculated at 60 PSI:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: OLIVER Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-16-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 2

☐ Spears

Moody ☐

Street Address: 126 Midway

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>
		Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Notes: Leaking At the Main

This is calculated at 60 PSI:

Leak Location Sketch:

This is calculated at 60 PSI			
Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Olive Springs



LEAK REPORT

Date: 3-16-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 3

☐ Spears

Moody ☐

Street Address: 127 Midway DR

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>
		Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Olive Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-16-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #:

4

☐ Spears

☐ Moody

Street Address:

170 Midway Dr.

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5):

2

☐

Blue Dot on Box

☐

Blue X on Leak Location

Notes:

Blue Arrow pointing to leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●●	8,000	
4	●●●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day).		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-16-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 5

☐ Spears

Moody ☐

Street Address: 143 Fowler St.

Type of Leak:	Size:	Material:	
Meter <input checked="" type="checkbox"/> ?	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>
Meter Yoke <input checked="" type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>	
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>	
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>	
Other: <input type="checkbox"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>	

Material:
Poly <input type="checkbox"/>
Copper <input type="checkbox"/>
Galvanized <input type="checkbox"/>
PVC <input type="checkbox"/>
A/C <input type="checkbox"/>
Cast Iron <input type="checkbox"/>
Ductile Iron <input type="checkbox"/>
Other: <input type="checkbox"/>

Rating (1-5): 2

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Leaking IN Box Blue Arrow pointing to Leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	●	3,000
3	●	8,000
4	●	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	

City/Utility: Olive Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-16-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 6

☐ Spears

Moody ☐

Street Address: 206 Midway

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Notes: Arrow points To Leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 7

☐ Spears

Moody ☐

Street Address: 222 Forest Ave

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Arrow Blue ~~X~~ on Leak Location

Notes: 3 Foot OUTSIDE Box Arrow pointing To leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-17-20

Crew Chief:

☒ Sheppard
☐ Spears

Simmons

Moody

Leak #: 8

Street Address: 218 Forest Street

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location


Notes: could not pinpoint - Replace Service

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver S Adams



LEAK REPORT

Date: 2-17-28

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 9

☐ Spears

Moody ☐

Street Address: 2116 Forest

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: <input type="text"/>
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Notes: Arrow pointing to location

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	•	3,000
3	•	8,000
4	•	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 10

☐ Spears

Moody ☐

Street Address: Airport Road 2 Clowers

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: _____
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5): 3

☒ Blue Dot on Box

☐ Blue ~~X~~ on Leak Location

Arrow pointing

Notes: Leak at meter at Pallen

White & Blue Dot on Box

This is calculated at 60 PSI:

Leak Location Sketch:

This is calculated at 60 PSI:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs.



LEAK REPORT

Date: 3-17-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #: 11

☐ Spears

☐ Moody

Street Address: 214 Airport Road.

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Arrow Pointing
Blue ~~*~~ on Leak Location

Notes:

Blue Arrow Pointing TO Leak location

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 12

☐ Spears

Moody ☐

Street Address: 709 Sycamore Drive

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>
		Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Arrow pointing to leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	•	3,000
3	•	8,000
4	•	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard ☐ Simmons

Leak #: B

☐ Spears ☐ Moody

Street Address: 714 Sycamore Road

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue Arrow pointing to location.

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 14

☐ Spears

Moody ☐

Street Address: 715 2 301 Alder Court

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Arrow Pointing To Leak Location
☐ Blue X on Leak Location

Notes: 2 Services Branched off AS one.

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 15

☐ Spears

Moody ☐

Street Address: 142 Sleepy Hollow

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="checkbox"/>	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: <input type="checkbox"/>

Rating (1-5): 4

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue Arrow pointing Tow Leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-17-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 16

☐ Spears

Moody ☐

Street Address: 313 Ridge View

Type of Leak:

Meter ☐
Meter Yoke ☐
Service Line ☒
Valve ☐
Fire Hydrant ☐
Main Line ☐
Other: _____

Size:

5/8" ☐ 8" ☐ 30" ☐
3/4" ☒ 10" ☐ 36" ☐
1" ☐ 12" ☐ Other ☐
2" ☐ 16" ☐
3" ☐ 18" ☐
4" ☐ 20" ☐
6" ☐ 24" ☐

Material:

Poly ☒
Copper ☐
Galvanized ☐
PVC ☐
A/C ☐
Cast Iron ☐
Ductile Iron ☐
Other: _____

Rating (1-5): 2

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue Arrow pointing to Leak
Leak is at Main Line

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 8-17-20

Crew Chief:

☒ Sheppard

Simmons ☐

Leak #:

17-

☐ Spears

Moody ☐

Street Address:

326 Ridge View Drive

Type of Leak:

Meter ☐
Meter Yoke ☐
Service Line ☒
Valve ☐
Fire Hydrant ☐
Main Line ☐
Other: _____

Size:

5/8" ☐ 8" ☐ 30" ☐
3/4" ☒ 10" ☐ 36" ☐
1" ☐ 12" ☐ Other ☐
2" ☐ 16" ☐
3" ☐ 18" ☐
4" ☐ 20" ☐
6" ☐ 24" ☐

Material:

Poly ☒
Copper ☐
Galvanized ☐
PVC ☐
A/C ☐
Cast Iron ☐
Ductile Iron ☐
Other: _____

Rating (1-5):

3

☐

Blue Dot on Box

☐

Arrow
Blue ~~x~~ on Leak Location

Notes:

Arrow pointing to leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-18-20

Crew Chief:

☒ Sheppard
☐ Spears

Simmons

Moody

Leak #: 18

Street Address: 448 Oak Circle

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input checked="" type="checkbox"/>
Valve <input type="checkbox"/>	2" <input checked="" type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input checked="" type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: <input type="text"/>

Rating (1-5):

4

☐ Blue Dot on Box

☒

Arrow pointing to Leak location
Blue X on location

Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: OLIVER SPRINGS



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-18-20

Crew Chief: ☒ Sheppard ☐ Simmons

Leak #: 19

☐ Spears ☐ Moody

Street Address: 229 Airport Road

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 2

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes:

Arrow pointing to leak location

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

Oliver Springs

City/Utility: _____



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-18-20

Crew Chief: ☒ Sheppard ☐ Simmons

Leak #: 20

☐ Spears ☐ Moody

Street Address: ~~103 Kries Street~~ 103 Foxwood Circle

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 2

☐ Blue Dot on Box

☒ Arrow pointing to leak
~~Blue X on Leak Location~~


Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-18-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #:

21

☐ Spears

☐ Moody

Street Address:

Intersection of Oliver and England

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input checked="" type="checkbox"/>
Valve <input type="checkbox"/>	2" <input checked="" type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input checked="" type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="checkbox"/>	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: <input type="checkbox"/>
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	

Rating (1-5):

3

☐

Blue Dot on Box

☒

Blue X on Leak Location

Notes:

Blue X on Main Line Blue X on
The leak. Intersection The leak is on
Oliver

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: _____

Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-18-20

Crew Chief:

☐ Sheppard

☐ Simmons

Leak #:

22

☐ Spears

☐ Moody

Street Address:

213 Park Lane

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5):

3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Pointing to Location

Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-18-22

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 23

☐ Spears

Moody ☐

Street Address: 128 Richards Drive

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>
Other: <input type="checkbox"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>
		Other: <input type="checkbox"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location


Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	•	3,000
3	•	8,000
4	•	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-18-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 24

☐ Spears

Moody ☐

Street Address: 431 Air Port Road

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input checked="" type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 2

☒ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue X on Box Leaking In Box

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: _____

Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-18-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 25

☐ Spears

Moody ☐

Street Address: 105 Dale

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 2

☐ Blue Dot on Box

☐ Blue X on Leak Location


Notes: Blue Arrow pointing to leak

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Alcoa Springs



LEAK REPORT

Date: 3.18.20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 26

☐ Spears

Moody ☐

Street Address: 128 Dale

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 2

☒ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue X on Box Leaking In The Box

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

Oliver Springs

City/Utility: _____



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-19-20

Crew Chief:

☒
☐

Sheppard

Spears

Simmons

Moody

Leak #:

27

Street Address:

218 E Spring St.

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: _____
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5):

3

☐

Blue Dot on Box

☒

Blue X on Leak Location

Arrow pointing to Leak location.


Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard ☐ Simmons
☐ Spears ☐ Moody

Leak #: 28

Street Address: ~~A-1118~~ 4360? E Spring Street DWE Excavating

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue ~~X~~ on Leak Location Arrow pointing to leak location

Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 29

☐ Spears

Moody ☐

Street Address: 1618 Walden Road

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input checked="" type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 1

☒ Blue ~~Dot~~ ^X on Box

☐ Blue X on Leak Location

Notes: Blue X on Box Leak in Box

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

Oliver Springs

City/Utility: _____



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-19-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #:

H30

☐ Spears

☐ Moody

Street Address:

1154 Walden Road (1154)

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5):

3

☐

Blue Dot on Box

☒

Blue ~~Non~~ Leak Location

Arrow pointing to Leak

Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-15-20

Crew Chief: ☒ Sheppard ☐ Simmons
☐ Spears ☐ Moody

Leak #: 31

Street Address: 1157 Walden Road

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Arrow pointing to location
~~Blue X on Leak Location~~

Notes:


This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

Oliver Springs

City/Utility: _____



LEAK REPORT

Date: 3-19-20

Crew Chief:

☒
☐

Sheppard

Spears

Simmons

Moody

Leak #: 32

Street Address: 1127 Warden Road

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: _____
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location

Arrow pointing to location

Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●●	8,000	
4	●●●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 8-19-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #: 33

☐ Spears

☐ Moody

Street Address: 912 Green Road.

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input checked="" type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="checkbox"/>	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: <input type="checkbox"/>
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5): 4

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Service Line or Possibly Main

Arrow pointing to Leak.

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 34

☐ Spears

Moody ☐

Street Address: 803 Thacker ST

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>
		Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Arrow pointing to location


Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●●	8,000	
4	●●●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs,



LEAK REPORT

Date: 3-19-20

Crew Chief:

☒ Sheppard

☐ Simmons

Leak #: 35

☐ Spears

☐ Moody

Street Address: 1008 Green Road,

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5):

3

☐ Blue Dot on Box

☒ Blue X on Leak Location

Arrow pointing to service

Notes:


This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●●	8,000	
4	●●●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

oliver springs

City/Utility: _____



LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard ☐ Simmons
☐ Spears ☐ Moody

Leak #: 36

Street Address: 1020 Green Road.

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: _____

Rating (1-5): 3

☐ Blue Dot on Box ☒ Blue X on Leak Location *Arrow pointing to location*


Notes: _____

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs.



LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard

Simmons ☐

Leak #: 37

☐ Spears

Moody ☐

Street Address: Town Hall

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 5

☐

Blue Dot on Box

☒

Blue X on Leak Location

Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3-19-20

Crew Chief: ☒ Sheppard ☐ Simmons

Leak #: 38

☐ Spears ☐ Moody

Street Address: Regions Bank

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/> 8" <input type="checkbox"/> 30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input type="checkbox"/> 10" <input type="checkbox"/> 36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/> 12" <input type="checkbox"/> Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/> 16" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/> 18" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/> 20" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: <input type="checkbox"/>	6" <input type="checkbox"/> 24" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
		Other: <input type="checkbox"/>

Rating (1-5): _____

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: 2nd time Jackson Is going to Turn valve off
At Hydrant 1st

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief: ☐ Sheppard ☒ Simmons

Leak #: 039

☐ Spears ☐ Moody

Street Address: 417 Maple Ave

Type of Leak:	Size:	Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	Ductile Iron <input type="checkbox"/>
	8" <input type="checkbox"/>	Other: _____
	10" <input type="checkbox"/>	
	12" <input type="checkbox"/>	
	16" <input type="checkbox"/>	
	18" <input type="checkbox"/>	
	20" <input type="checkbox"/>	
	24" <input type="checkbox"/>	
	30" <input type="checkbox"/>	
	36" <input type="checkbox"/>	
	Other <input type="checkbox"/>	

Rating (1-5): 3

☐ Blue Dot on Box

☒ Blue ~~on Leak location~~ ^{↑ pointing to meter}

Notes: Blue arrow on road pointing to meter.

This is calculated at 60 PSI:

Leak Location Sketch:

This is calculated at 60 PSI			
Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief: ☐ Sheppard ☒ Simmons
☐ Spears ☐ Moody

Leak #: 240

Street Address: 436 Maple Ave

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location


Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief:

☐ Sheppard

☒ Simmons

Leak #: 941

☐ Spears

☐ Moody

Street Address: 535 Henley Cir

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 2

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief:

☐ Sheppard

☒ Simmons

Leak #: 42

☐ Spears

☐ Moody

Street Address: Henley Cir

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 3

☐

Blue Dot on Box

☐

Blue X on Leak Location

Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3/18/20

Crew Chief: ☐ Sheppard

☒ Simmons

Leak #: 843

☐ Spears

☐ Moody

Street Address: 320 Bennett Rd

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input checked="" type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 4

☐ Blue Dot on Box

☐ Blue X on Leak Location


Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief: ☐ Sheppard

Simmons ☒

Leak #: 44

☐ Spears

Moody ☐

Street Address: 322 Bennett Rd

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location


Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: 3/18/20

Crew Chief:

☐ Sheppard

☒ Simmons

Leak #: 45

☐ Spears

☐ Moody

Street Address: 344 Bennett Rd

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 3

☐

Blue Dot on Box

☐

Blue X on Leak Location

Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



LEAK REPORT

Date: ~~2/20/20~~ 3/18/20

Crew Chief: ☐ Sheppard

☒ Simmons

Leak #: 46

☐ Spears

☐ Moody

Street Address: 573 Johnson Rd

Type of Leak:	Size:	Material:		
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input checked="" type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 3

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Blue arrow on road pointing to meter

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	●	3,000	
3	●	8,000	
4	●	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3/19/20

Crew Chief: ☒ Sheppard ☐ Simmons
☐ Spears ☐ Moody

Leak #: 47

Street Address: 304 towel Dr

Type of Leak:	Size:			Material:
Meter <input type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input checked="" type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <u>plus cap</u>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 1

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes: leaking cap

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	●	3,000
3	●●	8,000
4	●●●	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	

City/Utility: Oliver Springs



RYE
ENGINEERING PLC

LEAK REPORT

Date: 3/19/20

Crew Chief: ☒ Sheppard ☐ Simmons

Leak #: 48

☐ Spears ☐ Moody

Street Address: 304 Collin

Type of Leak:	Size:	Material:		
Meter <input checked="" type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input checked="" type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: <input type="text"/>	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: <input type="text"/>

Rating (1-5): 4

☐ Blue Dot on Box

☐ Blue X on Leak Location

Notes:

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day	
1	•	400	
2	•	3,000	
3	•	8,000	
4	•	15,000	
5	Severe Leak - Repair as soon as possible (20,000+ per day)		

City/Utility: Olive Springs



LEAK REPORT

Date: 31/9/20

Crew Chief: Sheppard

Simmons

Leak #: ~~42~~ 49

Spears

Moody

Street Address: Ray Barber Shop main street

<u>Type of Leak:</u>	<u>Size:</u>			<u>Material:</u>
Meter <input checked="" type="checkbox"/>	5/8" <input type="checkbox"/>	8" <input type="checkbox"/>	30" <input type="checkbox"/>	Poly <input checked="" type="checkbox"/>
Meter Yoke <input type="checkbox"/>	3/4" <input checked="" type="checkbox"/>	10" <input type="checkbox"/>	36" <input type="checkbox"/>	Copper <input type="checkbox"/>
Service Line <input type="checkbox"/>	1" <input type="checkbox"/>	12" <input type="checkbox"/>	Other <input type="checkbox"/>	Galvanized <input type="checkbox"/>
Valve <input type="checkbox"/>	2" <input type="checkbox"/>	16" <input type="checkbox"/>		PVC <input type="checkbox"/>
Fire Hydrant <input type="checkbox"/>	3" <input type="checkbox"/>	18" <input type="checkbox"/>		A/C <input type="checkbox"/>
Main Line <input type="checkbox"/>	4" <input type="checkbox"/>	20" <input type="checkbox"/>		Cast Iron <input type="checkbox"/>
Other: _____	6" <input type="checkbox"/>	24" <input type="checkbox"/>		Ductile Iron <input type="checkbox"/>
				Other: _____

Rating (1-5): 3

☒ Blue Dot on Box

☐ Blue X on Leak Location

Notes: Water in Box

This is calculated at 60 PSI:

Leak Location Sketch:

Rating	Pipe Leak Size	Gallons Lost/Day
1	•	400
2	●	3,000
3	●	8,000
4	●	15,000
5	Severe Leak - Repair as soon as possible (20,000+ per day)	